

## Declaration of Performance

Chemofast Injection System EA, EA Tropical, EA Express

### DoP No. CF-00-106-06

1. Unique identification code of the product-type: CF-00-106-06
2. Intended use/es: Bonded injection type anchor for use in non-cracked concrete  
Annex: B1 - B4
3. Manufacturer: Chemofast Anchoring GmbH  
Hanns-Martin-Schleyer-Str. 23  
47877 Willich, Deutschland  
Fon: +49 2154 81230  
Fax: +49 2154 8123333
4. Authorised representative: Yoldaş Endüstri Ürünleri San Tic AŞ  
Fettah Başaran Cad. No:42 Orhanlı  
Tuzla - İstanbul  
Tel: +90 216 466 4949
5. AVCP System/s: 1
6. European Assessment Document: ETAG 001  
European Technical Assessment: ETA-12/0111 issued on 16.01.2016  
Technical Assessment Body: Technical and Test Institute for Construction Prague  
Notified body/ies: ZUS - TZUS Prague NB 2873

7. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Essential Characteristics	Design	Performance
Characteristic resistance (static and quasi-static load)		
to tension load	EN 1992-4:2009 + TR029	Annex: C1
to shear load		Annex: C2
Displacements		Annex: C3
Characteristic resistance and displacements for seismic performance		
Category C1	EN 1992-4:2018 + TR029	NPA
Category C2		NPA

Safety in case of fire (BWR 2)

Essential Characteristics	Design	Performance
Reaction to fire	-	Fastener satisfy requirements for Class A1
Resistance to fire	-	NPA

Hygiene, health and the environment (BWR 3)

Essential Characteristics	Performance
Content, emission and/or release of dangerous substances	No performance assessed (NPA)

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

Not relevant

The performance of the product specified above is in conformity with the declared performance. In accordance with Regulation (EU) No. 305/2011, this declaration of performance is issued under the sole responsibility of the manufacturer named above.

Signed for and on behalf of the manufacturer by:

\_\_\_\_\_  
i.V. Philipp Strater  
Head of Engineering Research and Technical Brand Manager

\_\_\_\_\_  
i.V. Dr. Sven Mronga  
Head of Quality Management

Willich 21.09.2022